



# Highly reliable A3 black & white MFPs

Your organisation is unique. Just like the way you conduct business. So why handle document management in the same way as everybody else does? Ricoh's A3 black & white MFPs have been designed for demanding environments in mid- to large-sized offices. These versatile MFPs help you print, copy and share a wide range of documents for extra convenience. Use them as your information portal and connect to cloud services and applications directly from the operation panel. Monitor user activity, energy consumption, operating costs and more with powerful administration tools. You can even add this compact device to your Ricoh Managed Document Service (MDS) programme to reduce costs across your company. Available in a wide range of configurations, these models match your exact requirements and enhance your output from creation to finish.

- Time-saving: fast first print speed, rapid recovery from sleep mode
- Highly productive: print at up to 60 pages per minute
- Easy to use: choice of two operating panels (9-inch/10.1-inch)
- Cost-saving: low energy consumption
- Flexible: wide range of models to meet all your needs



### **MP 2554(Z)SP/MP 3054(Z)(SP): A perfect match for the modern office**

With their contemporary design, these multifunctionals enhance the appearance of any office without taking up valuable space. Noise from any moving parts is kept to a minimum; fans do not operate during sleep mode. After waking up from sleep mode, only the essential parts will move.

### **Easy operation; just touch and swipe**

The MP 2554ZSP/MP 3054ZSP take ease of use to a new dimension. Their touch and swipe panel, just like smart devices, makes operation simpler and faster. Operation is similar to Ricoh MFPs, reducing training needs for fleet customers. Save time by pre-setting frequently used settings on the home page. Recovery from sleep mode is only 4.9 seconds, so the device is ready for action virtually immediately.

# MP 3554(Z)SP: Performance beyond expectations

## Boost your productivity

The MP 3554SP/MP 3554ZSP streamline your workflow and increase your efficiency through powerful performance combined with easy usability. You'll find yourself being more productive while generating professional, high-quality document output at speeds of up to 35 pages per minute.

## Optimum user-friendliness

The MP 3554SP is supplied with a conventional large 9-inch display; the MP 3554ZSP is equipped with a state-of-the-art 10.1-inch smart operation panel with a touch and swipe operation.

## Highly efficient

Increase your work rate and efficiency by making use of Ricoh's GWNX controller features such as XPS Direct Print, embedded OCR and centralised address book management. Distributed Scan Management allows scanning conditions and destination to be set automatically – again saving time and improving efficiency.

## An innovative way to staple

Ricoh's unique stapleless stapler lets you bind up to five pages without using a staple. You save on resources, don't have to remove staples when shredding documents, and there's no risk of staples scratching the glass platen when a document is scanned.

# **MP 4054(A)(Z)SP: Flexibility and productivity in a compact design**

## **Fast printing – even double-sided**

Save time, paper and cost with automatic and fast double-sided printing with the built-in Automatic Reversing Document Feeder (MP 4054SP) or Single Pass Duplex Feeder (MP 4054ASP/MP 4054AZSP).

## **Top-quality documents**

A great feature of the MP 4054SP/MP 4054ASP/MP 4054AZSP is their ability to make flat fold booklets. This saves you time normally spent manually folding documents and you obtain impressively professional-looking booklets.

## **Choose between two displays**

Select a conventional large 9-inch display (MP 4054SP/MP 4054ASP) or try our latest Ricoh 10.1-inch smart operation panel (MP 4054AZSP). Its touch and swipe operation, similar to smart devices, enables the most complex operations to be performed rapidly.

# MP 5054(A)(Z)SP: Full of fresh ideas

## Ready for action

These devices wake up from Energy Saver mode virtually instantly. Turn away briefly and you'll miss the first print; it's at a quick 2.9 seconds. High paper capacity (max. 4,700 sheets) and thick paper support (up to 300 gm<sup>2</sup>) are complemented by an Automatic Reversing Document Feeder (MP 5054SP) or a Single Pass Duplex Feeder (MP 5054ASP/MP 5054AZSP).

## Easy to use

The MP 5054SP/MP 5054ASP/MP 5054AZSP are very simple to use. The MP 5054AZSP comes with the latest Ricoh 10.1-inch smart operation panel and allows the MFP to be used with easy touch and swipe operation. The familiar drag-and-drop can be used to rearrange icons on the home screen, increasing user-friendliness of the device. This model also comes with external USB keyboard support, which improves usability through easier and faster typing.

## Time-saving user settings

A newly designed printer driver user interface allows you to save time when setting your preferences. Simply use the One Click Presets Tab to set most of your preferences in an instant.

## Enhance your green credentials

Low Total Electricity Consumption (TEC) values, energy-saving sleep mode and new Energy Star v2.0 compliance reduce your environmental impact and your energy costs. Automatic and fast double-sided printing is standard to save time, paper and cost.

# MP 6054(Z)SP/MP 6054ZSP: Smart. Intuitive. Productive.



- 1 High paper capacity (max. 4,700 sheets) and thick paper support (up to 300 gm<sup>2</sup>).
- 2 Single Pass Duplex Feeder (SPDF) as standard, with a scan speed of 180 ipm.
- 3 Conventional large 9-inch display (MP 6054SP) or 10.1-inch smart operation panel (MP 6054ZSP).
- 4 Ricoh's new Quick Start Up (QSU) fusing system leads to superior print quality and reduces Total Electricity Consumption (TEC) values.
- 5 Print directly from a USB stick or a PC without having to download and install a driver.
- 6 Versatile finishing options: opt for the 1,000/3,000-sheet finisher or the 1,000/2,000-sheet booklet finisher.



GERAL

Tempo de aquecimento:	14 segundos
Velocidade da primeira cópia:	4,6/4,6/4,6/4,6/4,3/4,4/4,2/9,9/2,9/2,9/2,9 segundos
Velocidade de produção contínua:	25/25/30/30/30/35/40/40/40/50/50/50/60/60 páginas por minuto
Memória:	Standard: 2 GB Máximo: 2 GB
Disco rígido:	320 GB
Dimensões (L x P x A):	Com ARDF: 587 x 680 x 913 mm Com SPDF: 587 x 680 x 963 mm
Peso:	Com ARDF: 68,5 kg Com SPDF: 74 kg
Fonte de alimentação:	220 - 240 V, 50/60 Hz

COPIADOR

Processo de cópia:	Leitura com feixe laser e impressão eletrofotográfica Leitura com feixe laser duplo e impressão eletrofotográfica (MP 4054SP, MP 5054SP, MP 6054SP)
Cópia múltipla:	Até 999 cópias
Resolução:	600 dpi
Zoom:	De 25% a 400% em variações de 1%

IMPRESSORA

Linguagem da impressora:	Standard: PCL5e, PCL6(XL), Impressão direta de PDF Opcionais: XPS, Adobe® PostScript® 3™, IPDS
Resolução de impressão:	Máximo (1200 x 1200 dpi)
Interface:	Standard: USB 2.0, Slot SD, Ethernet 10 base-T/100 base-TX, Ethernet 1000 Base-T Opcionais: IEEE 1284 bidirecional, Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth, Placa de rede adicional (2.ª porta)
Protocolo de rede:	TCP/IP (IP v4, IP v6), Opcionais (IPX/SPX)
Ambientes Windows®:	Windows® XP, Windows® Vista, Windows® 2000, Windows® 8, Windows® Server 2003, Windows® Server 2003, Windows® Server 2008R2, Windows® Server 2012
Ambientes Mac OS:	Macintosh OS X Native v10.6 ou posterior
Ambientes UNIX:	UNIX Sun® Solaris: 2.9, 2.10 HP-UX: 11.x, 11i v2, 11i v3 SCO OpenServer: 5.0.7, 6.0 RedHat® Linux Enterprise: 4, 5, 6 IBM® AIX: 5L v5.3, 5L v6.1, 5L v7.1
Ambientes Novell® Netware® (Opcionais):	v6.5
Ambientes SAP® R/3®:	SAP® R/3®
Outros ambientes suportados:	NDPS Gateway AS/400® utilizando OS/400 Host Print Transform IBM iSeries

SCANNER

Velocidade de leitura:	ARDF: Máximo de 80 originais por minuto SPDF: Máximo de 110(simplesx)/180(duplex) originais por minuto
Resolução:	Máximo: 600 dpi
Formato do original:	A3, A4, A5, B4, B5
www.ricoh-europe.com	TWAIN de rede
Scan to:	E-mail, Pasta, USB, SD card

FAX

Circuito:	PSTN, PBX
-----------	-----------

Compatibilidade:	ITU-T (CCITT) G3
Resolução:	8 x 3,85 linha/mm, 200 x 100 dpi 8 x 7,7 linha/mm, 200 x 200 dpi Opcionais: 8 x 15,4 linha/mm, 400 x 400 dpi/16 x 15,4 linha/mm, 400 x 400 dpi
Velocidade de transmissão:	G3: 2 segundo(s)
Velocidade do modem:	Máximo: 33,6 Kbps
Capacidade de memória:	Standard: 4 MB Máximo: 60 MB

SUPORTES DE PAPEL

Formato de papel recomendado:	Bandeja(s) de papel standard: A3, A4, A5, A6, B4, B5, B6 Band. de alimentação manual: A3, A4, A5, A6, B4, B5, B6
Capacidade de entrada de papel:	Máximo: 4 700 folhas
Capacidade de saída de papel:	Máximo: 3 625 folhas
Gramagem do papel:	Bandeja(s) de papel standard: 60 - 300 g/m² Band. de alimentação manual: 52 - 300 g/m² Bandeja de duplex: 52 - 256 g/m²

ECOLOGIA

Consumo de energia:	Máximo: 1,78 kW Modo pronto: 54,6/54,6/54,6/54,6/54,6/54,6/81,4/81,4/81,4/81,4/81,4/81,4/81,4 W Modo de suspensão: 0,49/0,49/0,49/0,49/0,49/0,49/0,51/0,51/0,51/0,51/0,51/0,51/0,51 W TEC (Consumo Eléctrico Normal): 858/858/1 363/1 092/1 321/1 321/1 607/1 607/2 253/2 253/2 253/2 719/2 719 Wh
---------------------	---

SOFTWARE

Standard:	SmartDeviceMonitor, Web SmartDeviceMonitor®, Web Image Monitor
Opcional:	GlobalScan NX, Card Authentication Package, Unicode Font Package for SAP, Remote Communication Gate S Pro

OPÇÕES

Pega do ADF, 1 x bandeja de papel de 550 folhas, 2 x bandeja de papel de 550 folhas, Bandeja de grande capacidade para 2000 folhas, Bandeja lateral de grande capacidade para 1500 folhas, Unidade de transporte, Finalizador de 500 folhas, Finalizador para 3000 folhas, Finalizador interno, Finalizador interno com agraphador sem agraphos, Finalizador de folhetos de 1000 folhas, Finalizador de folhetos de 2000 folhas, Kit de furação para finalizador de 3000 folhas, Kit de furação para finalizador de folhetos, Kit de furação para finalizador interno, Bandeja interna de separação em espinha, Bandeja de saída interna, Bandeja lateral, Mesa de suporte, Armário inferior, Impressora/Scanner (opção), Disco rígido, IEEE 1284 bidirecional, USB Device Server, Bluetooth, Netware, PostScript3, Unidade IPDS, Unidade de browser, Kit de interface para contador, Conversor do formato de ficheiros, Suporte para contador externo, Suporte para leitor de cartões, Unidade de Data Overwrite Security (versão certificada), Copy Data Security Unit, Unidade de ligação de fax, Carimbo de fax, Kit de 2.ª porta de Fax Super G3, Memória de fax, Opção de fax, Unicode Font Package for SAP, Wireless LAN (IEEE 802.11a/g/n), Unidade de OCR, Unidade Smart Card Reader (integrada), Impressão direta XPS

CONSUMÍVEIS

Capacidade do toner:	Preto: 24 000/11111/37 000 impressões (MP 3554SP, MP 6054SP)
Rendimento previsto do toner (A4/LT, 6% de preenchimento):	Preto: 24 000/11111/37 000 impressões (MP 3554SP, MP 6054SP)

Para obter mais informações sobre modelos disponíveis, opcionais e software, consulte o seu distribuidor local da Ricoh.

Com certificações ISO9001, ISO14001 e ISO27001

Todas as marcas e/ou nomes de produtos são marcas comerciais dos respetivos proprietários. As especificações e o aspeto externo estão sujeitos a alterações sem aviso prévio. A cor do equipamento pode variar da cor apresentada no catálogo. As imagens neste catálogo não são fotografias reais e podem existir pequenas diferenças de pormenor.

Copyright © 2014 Ricoh Europe PLC. Todos os direitos reservados. Este catálogo, os seus conteúdos e/ou disposição não podem ser modificados e/ou adaptados, copiados parcialmente ou no todo e/ou incorporados noutros trabalhos sem a prévia permissão por escrito por parte da Ricoh Europe PLC.